




This Material Safety Data Sheet (MSDS) complies with the United Nations Globally Harmonized System (GHS) of Classification and Labeling, Second revised Edition and meets or exceeds the Canadian and United States Requirements for Hazard Communication




Methanol

Solvent, fuel, feedstock

Do not use in a confined area without proper ventilation. Contact lenses may cause further damage in case of splash into eye. Avoid use near heat, flames, sparks, and other sources of ignition.



If necessary, contain spill by diking. Fluorocarbon alcohol resistant foams may be applied to spill to diminish vapour and fire hazard. Maximize methanol recovery for recycling or reuse. Collect I



Extremely flammable liquid and vapour. Fatal if swallowed.
May damage fertility or the unborn child (fetotoxic and teratogenic effects).
May cause damage to eyes and central nervous system if ingested or inhaled.

Skin Contact:	Yes
Skin Absorption:	Yes
Eye Contact:	Yes
Ingestion:	Yes
Inhalation:	Yes





UN 1230, Methanol, Class 3(6.1),
P.G. II
Limited Quantity: Ω 1 litres
ERG Guide Number: 131



September 22, 2005

Kel-Ex Agencies Ltd., P.O. Box 52201, Lynnmour RPO, North Vancouver, B.C., Canada,
V7J 3V5

The information above is believed to be accurate and represents the best information currently available to us. Users should make their own investigations to determine the suitability of the information for their particular purposes. This document is intended as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

Methanex Corporation and its subsidiaries make no representations or warranties, either express or implied, including without limitation any warranties of merc