Inhalation	Move to fresh air. If breathing is difficult, give oxygen. Obtain medical attention.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.
Most important symptoms/effects	Causes eye burns.
Notes to Physician	Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable Extinguishing Media	No information available
Flash Point	> 93.4 °C / > 200.1 °F
Method -	No information available
Autoignition Temperature	
Explosion Limits	
Upper	No data available
Lower	No data available

Sensitivity0 g 838 Nechan or cImpacj ET Q q .20807 0 0 .20831 0 0 cm BT /F2 180 Tf 0 g 4211 -4377 Td3No information a

Stability	Stable under normal conditions.
Conditions to Avoid	

Mobility . Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Oxalic acid	-0.81

13. Disposal considerations

Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN-No	UN3261
Proper Shipping Name	CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.
Proper technical name	(OXALIC ACID)
Hazard Class	8
Packing Group	III

Component	TSCA 12(b)
Oxalic acid	Section 4

SARA 313 Not applicable

SARA 311/312 Hazardous Categorization

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	Yes
Sudde./F0 18pelease of Pressuzard	

Creation Date	22-Oct-2009
Revision Date	16-Jul-2015
Print Date	16-Jul-2015
Revision Summary	This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS)

Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS