



SAFETY DATA SHEET

1. Identification

Product Name	Sodium hydrosulfite
Cat No. :	S310-100; S310-500; S80-182
Synonyms	Sodium dithionite
Recommended Use	Laboratory chemicals.
Uses advised against	No Information available

Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Keep cool. Protect from sunlight

Wear protective gloves/protective clothing/eye protection/face protection

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

Storage

Maintain air gap between stacks/pallets

Store away from other materials

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Hazardous Combustion Products

Sulfur oxides

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

6. Accidental release measures

Personal Precautions

Upper	No data available
Lower	No data available
Vapor Pressure	No information available
Vapor Density	Not applicable
Specific Gravity	1.4
Solubility	No information available
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	>80 °C / >176 °F
Decomposition Temperature	No information available
Viscosity	Not applicable
Molecular Formula	Na2 O4 S2
Molecular Weight	174.1

10. Stability and reactivity

Reactive Hazard	Yes
Stability	Stable under normal conditions. Moisture sensitive. Strong reducing agent. Fire and explosion risk in contact with oxidizing agents.
Conditions to Avoid	Incompatible products. Excess heat. Avoid dust formation. Exposure to moist air or water.
Incompatible Materials	Acids, Oxidizing agents
Hazardous Decomposition Products	Sulfur oxides
Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	Contact with acids liberates toxic gas.

11. Toxicological information

Acute Toxicity

Product Information
Component Information
 Component

LD50 Oral

LD50 Dermal

LC50 Inhalation

Aspiration hazard No information available

Symptoms / effects,both acute and delayed No information available

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Do not empty into drains. The product contains following substances which are hazardous for the environment. Harmful to aquatic organisms.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Sodium dithionite	EC50: = 87 mg/L, 96h (Desmodesmus subspicatus) EC50: = 120 mg/L, 72h (Desmodesmus subspicatus)	LC50: 46 - 68 mg/L, 96h static (Leuciscus idus)	EC50 = 107 mg/L 17 h	EC50: = 98 mg/L, 48h (Daphnia magna Straus)

Mexico - Grade

No information available

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class

B6 Reactive flammable material
D2B Toxic materials



16. Other information

Prepared By

Regulatory Affairs
Thermo Fisher Scientific
Email: EMSDS.RA@thermofisher.com

Creation Date
Revision Date

27-Nov-2010