according to Hazard Communication Standard; 29 CFR 1910.1200



WINDEX® CLEANER ORIGINAL

Version 1.3 Print Date 03/09/2018

SDS Number 350000014153 Revision Date 01/23/2018

1. PRODUCT AND COMPANY IDENTIFICATION

Product information

Product name : WINDEX® CLEANER ORIGINAL

Recommended use Hard Surface Cleaner

Restrictions on use Use only as directed on label

supplier

Manufacturer, importer, : S.C. Johnson & Son, Inc.

1525 Howe Street

Racine WI 53403-2236

Telephone : +1-800-558-5252

Emergency telephone

number

: 24 Hour Medical Emergency Phone: (866)231-5406 24 Hour International Emergency Phone: (703)527-3887

24 Hour Transport Emergency Phone: (800)424-9300

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Globally Harmonized System (GHS) Classification

This product does not meet the criteria for classification in any hazard class according to regulation OSHA 29 CFR 1910.1200.

Labelling

Precautionary statements

Other hazards None identified

3. COMPOSITION/INFORMATION ON INGREDIENTS

This product does not contain hazardous chemicals at or above a reportable level as defined by OSHA 29 CFR 1910.1200

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

according to Hazard Communication Standard; 29 CFR 1910.1200

according to Hazard Communication Standard; 29 CFR 1910.1200



WINDEX® CLEANER ORIGINAL

Version 1.3

according to Hazard Communication Standard; 29 CFR 1910.1200



WINDEX® CLEANER ORIGINAL

Version 1.3 Print Date 03/09/2018

Revision Date 01/23/2018 SDS Number 350000014153

16. OTHER INFORMATION

HMIS	Rating	S
------	--------	---

Health	1	
Flammability	0	
Reactivity	0	

NFPA Ratings

Health	1	
Fire	0	
Reactivity	0	
Special	-	

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

Further information 20.2609 ref 298 9.ti (h B) +BC 6092 062 21 re *W B/F 499 Tf 1 001 9.266 17 Tm 0G F) 2 ET 6092 062 21 re W 0EMC /Spn AM