

SECTION PRODUCT AND COMPANY IDENTIFICATION

ESL ay Lu ricant

Product identifier WAY OIL

Other eans of identification

Reco ended use WAY OIL
Reco ended restrictions None known.

Manufacturer I porter Supplier Distri utor infor ation

Manufacturer

Co pany na e DOALL SAWING PRODUCTS

A DOALL COMPANY 2375 Touhy Avenue Elk Grove Village, IL 60007 888-362-5572, Ext 65047

Telephone . General

Infor ation

E ergency telephone

1-800-424-9300 (CHEMTREC)

nu er

E ergency telephone nu er outside USA

1-703-527-3887 (CHEMTREC)

SECTION HAZARDS IDENTIFICATION

CLASSIFICATION Not classified as hazardous according to 29 CFR 1910.1200 (2012).

HAZARDS NOT OTHER ISE CLASSIFIED Not Applicable

SECTION: COMPOSITION INFORMATION ON INGREDIENTS

| COMPONENTS | CAS NUMBER | AMOUNT |
|--|------------|----------------|
| Highly refined mineral oil (C15 - C50) | Mixture | 70 - 99 %wt/wt |


SECTION FIRST AID MEASURES

Description of first aid easures

Eye No specific first aid measures are required. As a precaution, remove contact lenses, if worn, and flush eyes with water.

Skin No specific first aid measures are required. As a precaution, remove clothing and shoes if contaminated. To remove the material from skin, use soap and water. Discard contaminated clothing and shoes or thoroughly clean before reuse.

Ingestion No specific first aid measures are required. Do not induce vomiting. As a precaution, get medical advice. **Inhalation** No specific first aid measures are required. If exposed to excessive levels of material in the air, move the exposed person to fresh air. Get medical attention if coughing or respiratory discomfort occurs.



Most i portant sy pto s and effects oth acute and delayed IMMEDIATE SYMPTOMS AND HEALTH EFFECTS

Eye Not expected to cause prolonged or significant eye irritation.

Skin

SECTION FIRE FIGHTING MEASURES



SECTION, HANDLING AND STORAGE

SECTION EXPOSURE CONTROLS PERSONAL PROTECTION

GENERAL CONSIDERATIONS

Consider the potential hazards of this material (se





SECTION PHYSICAL AND CHEMICAL PROPERTIES

SECTION STABILITY AND REACTIVITY

Reactivity May react with strong acids or strong oxidizing agents, such as chlorates, nitrates, peroxides, etc.

Che ical Sta ility This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.





(0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme, PPE:- Personal Protection Equipment Index recommendation, *- Chronic Effect Indicator). These values are obtained using the guidelines or published evaluations prepared by the National Fire Protection Association (NFPA) or the National Paint and Coating Association (for HMIS ratings).

LABEL RECOMMENDATION

Label Category: INDUSTRIAL OIL 1 - IND1

REVISION STATEMENT This revision updates the following sections of this Safety Data Sheet: 1-16

Revision Date JUNE 1, 2015

ABBREVIATIONS THAT MAY HAVE BEEN USED IN THIS DOCUMENT

| TLV - Threshold Limit Value | TWA - Time Weighted Average |
|---|---|
| STEL - Short-term Exposure Limit | PEL - Permissible Exposure Limit |
| GHS - Globally Harmonized System | CAS - Chemical Abstract Service Number |
| ACGIH - American Conference of Governmental Industrial Hygienists | IMO/IMDG - International Maritime Dangerous Goods Code |
| API - American Petroleum Institute | SDS - Safety Data Sheet |
| HMIS - Hazardous Materials Information System | NFPA - National Fire Protection Association (USA) |
| DOT - Department of Transportation (USA) | NTP - National Toxicology Program (USA) |
| IARC - International Agency for Research on Cancer | OSHA - Occupational Safety and Health Administration |
| NCEL - New Chemical Exposure Limit | EPA - Environmental Protection Agency |
| SCBA - Self-Contained Breathing Apparatus | |

Amended to conform to the United Nations' Globally Harmonized System of Classifications and Labeling of Chemicals (OSHA/GHS).

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

END OF SAFETY DATA SHEET