## **Safety Data Sheet**

1 - Identification

Product Name: WD-40 Multi-Use Product Aerosol NOT FOR SALE IN CALIFORNIA

Product Use: Lubricant, Penetrant, Drives Out Moisture, Removes and Protects Surfaces From

Corrosion

**Restrictions on Use: None identified** 

SDS Date Of Preparation: 07/20/2014

Manufacturer: WD-40 Company

Address: 1061 Cudahy Place (92110)

			Aspiration Toxicity Category 1	
Petroleum Base Oil	64742-56-9	<25	<25 Not Hazardous	
	64742-65-0			
	64742-53-6			
	64742-54-7			
	64742-71-8			
LVP Aliphatic Hydrocarbon	64742-47-8	12-18	Aspiration Toxicity Category 1	
Carbon Dioxide	124-38-9	2-3	Simple Asphyxiant	
			Gas Under Pressure,	
			Compressed Gas	
Non-Hazardous Ingredients	Mixture	<10	Not Hazardous	

Note: The exact percentages are a trade secret.

## 4 First Aid Measures

**Ingestion (Swallowed):** Aspiration Hazard. DO NOT induce vomiting. Call physician, poison control center or the WD-40 Safety Hotline at 1-888-324-7596 immediately.

**Eye Contact:** Flush thoroughly with water. Remove contact lenses if present after the first 5 minutes and continue flushing for several more minutes. Get medical attention if irritation persists.

**Skin Contact:** Wash with soap and water. If irritation develops and persists, get medical attention.

**Inhalation (Breathing):** If irritation is experienced, move to fresh air. Get medical attention if irritation or other symptoms develop and persist.

**Signs and Symptoms of Exposure**: May cause eye and respiratory irritation. Inhalation may cause coughing, headache and dizziness. Skin contact may cause drying of the skin.

**Indication of Immediate Medical Attention/Special Treatment Needed**: Immediate medical attention is needed for ingestion.

**Conditions for Safe Storage:** Store in a cool, well-ventilated area, away from incompatible materials Do not store above 120 F or in direct sunlight. U.F.C (NFPA 30B) Level 3 Aerosol. Store away from oxidizers.

## 8 Exposure Controls/Personal Protection

Chemical	Occupational Exposure Limits		
Aliphatic Hydrocarbon	1200 mg/m3 TWA (manufacturer recommended)		
Petroleum Base Oil			

states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

## **SARA TITLE III:**

**Hazard Category For Section 311/312:** Acute Health, Fire Hazard, Sudden Release of Pressure **Section 313 Toxic Chemicals**: This product contains the following chemicals subject to SARA Title III Section 313 Reporting requirements: None

Section 302 Extremely Hazardous Substances (TPQ): None

**EPA Toxic Substances Control Act (TSCA) Status**: All of the components of this product are listed on the TSCA inventory.

**VOC Regulations**: This product complies with the consumer product VOC limits of the US EPA and states adopting the OTC VOC rules but does not comply with CARB.

California Safe Drinking Water and Toxic Enforcement Act (Proposition 65): This product does not contain chemicals regulated under California Proposition 65.

**Canadian Environmental Protection Act**: One of the components is listed on the NDSL. All of the other ingredients are listed on the Canadian Domestic Substances List or exempt from notification.

Canadian WHMIS Classification: Class A (Compressed gas)A0 g65.9-3(al )-7(P)4(r)eSed butTBT1 0 0 1 481.9 549.7 Tm